





Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称:

直流电钻_TE-CD 18/40 Li (2x1,5 Ah) _内含和内置锂电池组_Battery

Power-X-Change 1,5 _18V 1,5Ah 27Wh

Sample name:

Cordless Drill _TE-CD 18/40 Li (2x1,5 Ah) _ include and Packed with Lithium-Ion Battery _Battery Power-X-Change 1,5 _18V 1,5Ah 27Wh

安海机电科技 (苏州) 有限公司

委托单位:

Einhell Electro Machinery Technology Co. ,Ltd



SICIT上海化工院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





Certification for Safe Transport of Chemical Goods

Page 1/3

	名称	中文 Chinese	直流电钻 TE-CD 18/40 Li (2x1, 1, 5Ah 27Wh		Battery Power-X-Change 1,5 18V
Sample	e Name	me 英文 English Cordless Drill _TE-CD 18/40 Li (2x1,5 Ah) include and Packed with Lithium-Ion Batt Battery Power-X-Change 1,5 18V 1,5Ah 27Wh			
委托单位 Consignor			安海机电科技(苏州)有限公司 Einhell Electro Machinery Technology Co. ,Ltd		
检验方法、程序 Inspection method and procedure 样品外观			国际海事组织《国际海运危险货物规则》(2020版) IMO International Maritime Dangerous Goods Code (2020 Edition) 多种颜色塑胶及金属外壳		
Sar	nple a	pearance	Multicolor Plastics cement and metal shell		
Pac	包装件 ckage in	⊧信息 nformation			
序号 NO.		电池种类 attery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement
1	可充印 Rechar	l锂离子电池组 geable Li-ion battery	Battery Power-X-Change 1,5	1.5Ah 27Wh	安装在设备内 Contained in equipment
2	可充电 Rechar	1锂离子电池组 geable Li-ion battery	Battery Power-X-Change 1,5	1.5Ah 27Wh	与设备包装在一起 Packed with equipment
鉴定结论	U.i. 2. Co根The 3. 无Nor 3. 无Nor	离了电池。 thium ion batte 海运按照国际 de) 据特殊规定188, e article is no	海事组织《国际海运危险货物 该物品不受IMO IMDG Code其他条制 t subject to other provisions of agging requirements)	(限制。 of IMO IMDG Code according **Example 121-12-07** **Example 121-07** **Example 121	2022-01-01
备注 Comme	. /	паростоп расе:	issue bate;	Effective Dat	.0:

批准 Approver: 七星 审核 专 学校 Checker:

主检 Appraiser:






Certification for Safe Transport of Chemical Goods

Page 2/3

序号	检验结果及其他事项					
No.	Inspection results and other things					
1	本报告所述锂电池按照《国际海运危险货物规则》(2020版)2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2020 EDITION 2.9.4.5.					
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 811900600035014 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.					
3	设备应装入由适当材料构造的坚固外包装内,材料的强度和设计应与包装的容量和用途相符,除非装有电池的设备对电池提供了等效保护。 锂电池完全封装在内包装内,位于坚固的外包装中。 The equipment should be packed in strong outer packagings constructed of suitable material of adequate strength and design in relation to the packaging's capacity and its intended use unless the battery is afforded equivalent protection by the equipment in which it is contained. Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.					
4	电池具有适当的防短路措施。 设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation.					
5	每个包装件必须标示恰当的锂电池标记。 Each package shall be marked with the appropriate lithium battery mark.					
6						
7						
	-验证码:463190-					

Certification for Safe Transport of Chemical Goods

NO. 212200701622284 Page 3/3



报告结束

